	Application No.	Applicant(s)
	09/910,589	HUFFMAN ET AL.
Notice of Allowability	Examiner	Art Unit
	Reginald G. Bragdon	2188
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the amendment filed 22 September 2004.		
2. The allowed claim(s) is/are <u>1-20</u> .		
3. The drawings filed on are accepted by the Examiner.		
 4.		
 each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. 		
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/O Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Summary Paper No./Mail Dal 08), 7. ☑ Examiner's Amendr	te

Application/Control Number: 09/910,589 Page 2

Art Unit: 2188

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or

additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR

1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the

payment of the issue fee.

2. The application has been amended as follows:

The following changes to the drawings have been approved by the examiner:

Amended sheet "1/3", received 22 September 2004, was not marked as a "Replacement

Sheet" as required by 37 CFR 1.84(c). Applicant is required to resubmit the replacement sheet

1/3 clearly marked "Replacement Sheet" as required by 37 CFR 1.84(c).

It is noted that sheet 3/3, also submitted 22 September 2004, was marked as a

"Replacement Sheet".

3. In order to avoid abandonment of the application, applicant must make these above

drawing changes.

4. Any inquiry concerning this communication or earlier communications from the

examiner should be directed to Reginald G. Bragdon whose telephone number is (571) 272-4204. The examiner can normally be reached on Monday-Thursday from 7:00 AM to 4:30 PM

and every other Friday from 7:00 AM to 3:30 PM.

The examiner's supervisor, Mano Padmanabhan, can be reached at (571) 272-4210.

Any inquiry of a general nature or relating to the status of this application should be

directed to the Group receptionist whose telephone number is (703) 305-3900.

Keginald D. Bragdon Reginald G. Bragdon

Primary Patent Examiner

Art Unit 2188

RGB

November 17, 2004